

SUPPLEMENT TO



No. 46 ] NEW DELHI, SATURDAY, DECEMBER 8, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th November, 1956

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
STATES PART (A) & PART (C)																Bombay															
Andhra Pradesh																Greater Bombay															
Srikakulam	.	.	50	22	3	..	..	..	..	Ahmedabad	.	.	..	..	1	1	..	..													
Godavari East	.	.	25	13	5	1	..	..	..	Baroda	.	.	..	..	1	..	..	..													
Godavari West	.	131	72	2	3	..	..	..	..	Ahmednagar	.	1	1	..	..	..	..	..													
Krishna	.	.	6	4	28	2	..	..	..	East Khandesh	.	20	6	..	..	..	..	..													
Guntur	.	.	..	..	16	5	..	..	..	Nasik	.	.	26	4	1	..	..	..													
Nellore	.	.	..	..	12	..	..	..	..	West Khandesh	.	1	..	6	1	..	..	..													
Kurnool	.	.	23	8	20	5	..	..	..	Kolhapur	.	.	1	1	..	..	..	..													
Anantapur	.	.	..	..	11	..	..	..	..	North Satara	.	.	8	4	..	..	..	..													
Chittoor	.	.	..	..	4	21	..	..	..	Sholapur	.	.	252	54	1	..	..	..													
Nizamabad	.	.	2	2	..	..	..	..	..	TOTAL	.	309	70	12	2	..	..	..													
Nalgonda	.	.	39	12	..	..	..	..	..	Total for w/e 3-11-56	119	27	42	9	..	..	..	..													
Hyderabad	.	.	..	..	8	4	..	..	..	Total for w/e 27-10-56	193	47	19	5	..	..	..	..													
TOTAL	.	.	276	133	109	21	..	..	..	Delhi																					
Total for w/e 3-11-56	102	44	67	11	..	..	..	..	..	TOTAL	.	..	..	..	..	..	..	..													
Total for w/e 27-10-56	85	39	97	16	..	..	..	..	..	Total for w/e 3-11-56	..	..	..	..	..	..	..	..													
Assam																Total for w/e 27-10-56															
TOTAL	.	.	..	..	..	..	..	..	..	Himachal Pradesh																					
Total for w/e 3-11-56	..	..	..	..	..	..	..	..	..	TOTAL	.	..	..	..	..	..	..	..													
Total for w/e 27-10-56	..	..	..	..	..	..	..	..	..	Total for w/e 3-11-56	..	..	..	..	..	..	..	..													
Bihar																Total for w/e 27-10-56															
"N.R."																..															

Explanation of Symbols used :—C,=Cases; D,=Deaths; ..= Nil ; "N. R."=Information not received.



Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th November, 1956—*contd.*

CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.			
Kerala								Orissa—contd.															
Trivandrum . . . . .	5	1	..	..	..	..	..	Bandh . . . . .	6	..	..	..	..	..	..	..	..						
Malabar . . . . .	3	..	..	..	..	..	..	Ganjam . . . . .	13	..	..	..	..	..	..	..	..						
TOTAL . . . . .	8	1	..	..	..	..	..	Dhankanal . . . . .	1	..	..	..	..	..	..	..	..						
Total for w/e 3-11-56	19	13	..	..	..	..	..	Keonjhar . . . . .	12	..	..	..	..	..	..	..	..						
Total for w/e 27-10-56	15	9	..	..	..	..	..	TOTAL . . . . .	190	86	16	1	..	..	..	..	..						
Madhya Pradesh								Total for w/e 3-11-56															
"N. R."								306 151 11 .. .. ..															
TOTAL								Total for w/e 27-10-56 191 107 7 2 .. ..															
Madras								Pondicherry															
Madras city . . . . .	6	..	..	..	..	..	..	TOTAL . . . . .	19	10	..	..	..	..	..	..	..						
Chingleput . . . . .	7	3	..	..	..	..	..	Total for w/e 3-11-56	5	2	..	..	..	..	..	..	..						
South Arcot . . . . .	40	9	..	..	..	..	..	Total for w/e 27-10-56	9	8	..	..	..	..	..	..	..						
Tiruchirappalli . . . . .	5	4	..	..	..	..	..	Punjab (I)															
Tirunelveli . . . . .	22	4	..	..	..	..	..	TOTAL . . . . .	..	..	..	..	..	..	..	..	..						
North Arcot . . . . .	3	..	..	..	..	..	..	Total for w/e 3-11-56	..	..	..	..	..	..	..	..	..						
Salem . . . . .	17	3	..	..	..	..	..	Total for w/e 27-10-56	1	..	..	..	..	..	..	..	..						
Colmbatore . . . . .	..	1	..	..	..	..	..	Rajasthan															
TOTAL . . . . .	100	24	..	..	..	..	..	"N. R."															
Total for w/e 3-11-56	82	32	..	..	..	..	..	Tripura															
Total for w/e 27-10-56	60	17	..	..	..	..	..	TOTAL . . . . .	1	1	..	..	..	..	..	..	..						
Manipur								Uttar Pradesh															
TOTAL . . . . .	..	..	..	..	..	..	..	TOTAL . . . . .	..	..	..	..	..	..	..	..	..						
Total for w/e 3-11-56	..	..	..	..	..	..	..	Total for w/e 3-11-56	7	2	..	..	..	..	..	..	..						
Total for w/e 27-10-56	..	..	..	..	..	..	..	Total for w/e 27-10-56	6	2	1	2	..	..	..	..	..						
Mysore								West Bengal															
Mysore . . . . .	..	2	1	..	..	..	..	Burdwan . . . . .	2	2	1	1	..	..	..	..	..						
Raichur . . . . .	11	4	..	..	..	..	..	Bankura . . . . .	1	..	5	4	..	..	..	..	..						
TOTAL . . . . .	11	4	2	1	..	..	..	Howrah . . . . .	6	3	6	1	..	..	..	..	..						
Total for w/e 3-11-56	..	..	..	..	..	..	..	24-Parganas . . . . .	2	2	14	4	..	..	..	..	..						
Total for w/e 27-10-56	2	..	3	1	..	..	..	Calcutta . . . . .	1	1	..	..	..	..	..	..	..						
Orissa								Nadia . . . . .															
Cuttack . . . . .	104	47	..	..	..	..	..	7	2	..	..	..	..	..	..	..	..						
Balasore . . . . .	16	7	2	..	..	..	..	Murshidabad . . . . .	28	17	3	..	..	..	..	..	..						
Puri . . . . .	12	7	4	1	..	..	..	Malda . . . . .	69	27	..	..	..	..	..	..	..						
Sambalpur . . . . .	3	..	..	..	..	..	..	TOTAL . . . . .	116	54	29	10	..	..	..	..	..						
TOTAL								Total for w/e 3-11-56 81 46 64 16 .. ..															
TOTAL								Total for w/e 27-10-56 142 74 13 12 .. ..															

Explanation of Symbols used:— C.—Cases ; D.—Deaths ; ..= Nil ; "N.R." = Information not received.



Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th November, 1956—*concl'd.*

		CHOLERA		SMALLPOX		PLAGUE				
		C.	D.	C.	D.	C.	D.			
								TYPHUS		
								Place	Period	Cases
Grand Total (Excluding Andhra Pradesh, Bihar and Madhya Pradesh)								Greater Bombay	1-11-56 (Revised)	2 (Flea-borne)
Corresponding Total for w/c 3-11-56								POLIOMYELITIS		
Corresponding Total for w/c 27-11-56								Information based on patients treated in hospitals in important towns.		
								Place	Period	Cases Deaths
ARREAR INFORMATION								Punjab	1-15 Oct., 56	{ 16 (Parctic) 2 (Non-parctic)
Rajasthan								"	16-31 Oct. 56	14 (Parctic)
For w/c 27-10-56								Delhi	13-27 Oct. 56	1 ( " )
Dungarpur . . . . .	27	..	..	..	..	..	..	"	27 Oct.—10 Nov. 56	2 ( " )
TOTAL	27	..	..	..	..	..	..			

Explanation of symbols used : C.=Cases; D.=Deaths; ..=Nil.

New DELHI (INDIA) ;  
The 3rd December, 1956. }

K. MITRA,  
for Registrar General, India.

## Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's { • COMMUNITY DEVELOPMENT PROGRAMME  
• GREAT RIVER VALLEY PROJECTS  
• SOCIAL WELFARE SCHEMES  
• RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE



**Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th November, 1956**

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>STATES—(Parts A and C)</b>													
<b>Andhra</b>													
N.R.													
<b>Assam</b>													
Shillong†													
Gauhati†													
Dibrugarh	46	7	7.9	..	..	..	..	..	..	..	7	15.2	..
Silchar	43	4	4.8	..	..	..	2	..	..	..	9	10.9	5
TOTAL	89	11	6.4	..	..	..	2	..	..	..	10	5.8	5
<b>Bihar</b>													
N.R.													
<b>Bombay</b>													
Ahmedabad	889	1,048	61.3	..	..	..	22	12	81	..	358	20.9	135
Ahmednagar	88	77	45.5	..	..	..	2	1	4	..	24	14.2	6
Amalner	50	35	36.4	..	..	..	5	..	..	..	11	11.4	..
Bhavnagar	157	100	33.1	..	..	..	15	6	3	..	51	16.9	16
Baroda	242	245	52.6	..	..	..	13	4	4	1	52	11.2	18
Barsi	46	65	73.5	17	..	..	9	..	1	..	41	46.4	7
Porbandar	64	27	21.9	..	..	..	7	..	2	..	14	11.4	4
Bhusawal	62	41	36.1	..	..	..	1	..	..	..	6	5.0	1
Rajkot	167	140	45.6	..	..	..	9	4	3	..	49	15.3	20
Broach	67	45	34.9	..	..	..	4	..	3	..	13	10.1	3
Cambay	41	58	73.5	..	..	..	..	2	3	..	10	12.7	1
Chalisgaon	35	22	32.7	..	..	..	4	..	1	..	6	8.9	2
Dhoraji	47	21	23.2	..	..	..	3	1	1	..	7	7.7	3
Dhulia	89	61	35.6	..	..	..	6	..	6	..	21	12.3	3
Gondal	41	38	48.2	..	..	..	3	..	1	..	12	15.2	5
Godhra	40	47	61.1	..	..	..	5	..	1	..	11	14.3	2
Greater Bombay	3,449	1,618	24.3	..	..	..	1	33	98	4	651	9.8	162
Jamnagar	122	44	18.8	..	..	..	4	..	3	..	16	6.8	2
Junagadh	65	22	17.6	..	..	..	10	1	2	..	19	15.2	8
Jalgaon	79	40	26.3	..	..	..	3	2	4	1	15	9.9	2
Kalyan	73	49	34.9	..	..	..	..	..	2	..	8	5.7	2
Kolhapur	159	123	40.2	..	..	..	8	1	10	..	56	18.3	11
Morvi	43	14	16.9	..	..	..	4	..	2	..	7	8.5	3
Miraj	44	18	21.3	..	..	..	..	..	2	..	7	8.4	..
Nadiad	71	95	69.6	..	..	..	9	..	1	..	23	16.8	2
Surendranagar	42	24	29.8	..	..	..	2	..	..	..	2	2.5	..
Veraval	46	13	14.7	..	..	..	3	..	1	..	5	5.6	3
Nandurbar	35	20	29.7	..	..	..	..	..	4	..	7	10.4	1
Nasik	119	105	45.9	..	..	..	2	3	7	..	34	14.9	6
Navasari	50	58	60.3	..	..	..	14	..	..	..	23	23.9	5
Pandharpur	44	41	48.5	..	..	..	2	1	3	..	14	16.5	5
Patan	47	60	66.4	..	..	..	13	..	6	..	22	24.3	6
Poona	607	444	38.0	..	..	..	4	4	28	..	124	10.6	35
Sangli	58	27	24.2	..	..	..	2	..	1	..	12	10.8	..
Satara	40	34	44.2	..	..	..	3	..	4	..	15	19.5	3
Sholapur	299	321	55.7	..	..	..	11	8	48	..	136	23.7	23
Surat	250	186	38.7	..	..	..	8	3	10	1	83	17.3	18
Thana	61	57	48.6	..	..	..	2	2	2	..	20	17.0	4
TOTAL	7,928	5,485	36.0	17	..	..	213	88	352	7	1,985	13.0	527

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information. N. R.—Information not received.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th November, 1956—*contd.*

Deaths from														
Town	Mid year Popn.Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Delhi State														
Delhi City .	1,124	897	41.5	..	..	..	74	7	35	..	194	8.9	66	
New Delhi .	374	426	59.2	..	..	..	..	..	5	..	71	9.8	16	
N.A.C. Civil Station, Delhi .	117	117	52.0	..	..	..	..	2	3	..	24	10.6	12	
Delhi Cantt. .	50	25	26.0	..	..	..	..	..	..	..	9	..	..	
Delhi-Shahadara .	53	49	48.0	..	..	..	4	..	3	..	9	8.8	2	
TOTAL .	1,718	1,514	45.8	..	..	..	78	9]	46	..	298	9.0	96	
KERALA														
Alleppey .	148	38	13.4	..	..	..	4	3	5	..	30	10.5	5	
Changanacherry .	41	16	19.0	..	..	..	..	..	..	..	4	5.1	1	
Ernakulam .	70	70	52.0	..	..	..	3	..	4	..	29	21.5	5	
Kottayam .	50	50	52.0	..	..	..	1	..	2	..	11	..	..	
Mattanchery .	85	78	47.7	..	..	..	..	..	4	..	14	8.6	..	
Nagercoil†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Quilon .	75	87	60.3	..	..	..	..	..	2	..	14	9.7	1	
Trichur .	76	48	32.8	..	..	..	2	5	..	..	13	8.9	1	
Trivandrum City .	218	232	56.3	..	2	..	11	3	15	3	73	17.4	8	
TOTAL .	763	618	42.1	..	2	..	21	11	32	3	188	12.8	21	
Madhya Pradesh														
"N.R."														
Madras														
Ambur†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Aruppukottai .	56	55	51.0	..	..	..	4	4	3	1	21	19.5	6	
Bodinayakanpur .	40	10	13.0	..	..	..	..	1	..	..	6	7.8	3	
Chidambaram .	39	31	41.3	..	..	..	..	2	1	..	12	16.0	3	
Coimbatore .	234	253	56.2	..	1	..	..	13	21	1	71	15.8	21	
Cuddalore .	74	96	67.5	..	..	..	5	..	7	..	22	15.5	5	
Dindigul .	90	91	52.4	..	..	..	..	2	4	2	30	17.3	9	
Erode .	67	54	41.9	..	..	..	..	4	1	1	15	11.6	5	
Gobichetty Palyan	38	15	20.5	..	..	..	..	1	1	..	9	12.3	4	
Guddiyattam .	53	37	36.3	..	..	..	1	1	2	..	13	12.8	4	
Kancheepuram .	90	77	44.5	..	..	..	..	6	15	..	32	18.5	8	
Karalkudi .	44	31	36.6	..	..	..	1	..	2	..	10	11.8	3	
Karur .	50	78	81.1	..	..	..	..	..	1	..	15	15.6	4	
Kumbakonam .	105	50	24.8	..	..	..	..	..	1	..	24	11.9	4	
Madras .	1,703	1,649	50.3	..	1	..	61	136	185	5	744	22.7	216	
Mathurai .	427	436	53.0	..	1	..	14	7	49	4	213	25.9	43	
Mayuram .	49	30	31.8	..	..	..	..	..	..	..	12	12.7	2	
Malapalayam .	41	7	9.0	..	..	..	2	2	1	..	9	11.5	6	
Nagapattinam .	60	69	59.0	..	..	..	4	1	6	1	27	23.2	4	
Ootacamund .	48	31	33.6	..	..	..	..	1	3	..	14	15.2	3	
Palni .	40	26	33.8	..	..	..	..	1	3	..	18	23.4	3	
Palayamkottai .	45	62	71.6	..	..	..	2	5	3	..	24	27.7	10	
Periyakulam .	34	24	36.7	..	..	..	3	3	4	1	16	24.5	3	
Pollachi .	51	56	57.0	..	..	..	..	..	2	..	9	9.2	2	
Pudukottai .	50	33	34.3	..	..	..	3	2	..	..	25	26.0	5	
Rajapalayam .	69	40	30.1	..	..	..	5	5	2	..	19	14.3	1	
Salem†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Srirangam .	42	53	65.6	..	..	..	1	..	2	..	18	22.3	6	
Srivilliputtur .	44	55	65.0	..	..	..	3	..	2	..	11	13.0	2	
Tanjore .	118	118	52.0	..	..	..	1	1	..	..	26	11.5	6	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B=Births; B. R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D. D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; M. D.=Maternal Deaths; D. R.=Death Rate; I. D.=Infantile Deaths (included in total deaths); ..=Nil information.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th November, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	Deaths from:—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Madras—contd.														
Tiruvannamalai†														
Tirunelveli	80	67	43·6	..	..	..	..	4	7	..	24	15·6	11	
Tiruppur	63	35	28·9	..	..	..	..	3	5	1	13	10·7	3	
Tiruchirappalli	251	166	34·4	..	..	..	3	3	18	1	86	17·8	13	
Tuticorin	111	86	40·3	..	1	..	2	6	19	2	76	35·6	11	
Vaniyambadi	43	23	27·8	..	..	..	..	2	..	..	8	9·7	3	
Vellore	124	128	53·7	..	..	..	3	8	11	1	50	21·0	12	
Villupuram	39	45	60·0	..	..	..	2	1	1	..	9	12·0	1	
Virudunagar	53	71	69·7	..	..	..	1	5	2	..	22	21·6	..	
TOTAL	4,565	4,188	47·7	..	4	..	121	230	384	21	1,753	20·0	445	
Mysore														
Chikaldurg	31	10	16·8	..	..	..	..	..	..	..	5	8·4	..	
Bangalore	977	786	41·8	..	..	..	14	77	117	..	374	19·9	..	
Mysore	294	284	50·2	..	..	..	16	12	8	..	147	26·0	..	
Hassan	30	29	50·3	..	..	..	..	..	..	..	7	12·1	..	
Kolar Gold Field	173	113	34·0	..	..	..	5	1	7	..	41	12·3	..	
Bellary	78	13	8·7	..	..	..	3	1	..	..	12	8·0	..	
Davangere	69	74	55·8	..	..	..	2	2	..	..	13	9·8	..	
Hospet	45	53	61·2	..	..	..	1	..	2	..	11	12·7	..	
Shimoga	57	49	44·7	..	..	..	10	..	..	..	11	10·0	..	
TOTAL	1,754	1,411	41·8	..	..	..	51	93	134	..	621	18·4	..	
Orissa														
Berhampur	72	25	18·1	..	..	..	2	2	1	..	12	8·7	3	
Cuttack	117	85	38·0	..	..	..	7	2	3	..	25	11·2	4	
Puri	53	37	36·4	..	..	..	10	4	3	..	32	31·5	7	
TOTAL	242	147	31·6	..	..	..	19	8	7	..	69	14·8	14	
Pondicherry														
Pondicherry	68	82	62·7	..	..	..	7	3	5	7	30	22·9	14	
Punjab (1)														
Ambala	65	63	50·5	..	..	..	5	1	7	..	18	14·5	6	
Amritsar	343	233	35·4	..	..	..	2	6	41	2	126	19·2	45	
Batala	62	77	64·8	..	..	..	1	3	6	..	28	23·5	5	
Bharinda	39	38	..	..	..	..	3	..	..	..	6	..	1	
Bhiwani	57	59	54·0	..	..	..	2	..	4	..	9	8·2	5	
Ferozepore	45	41	47·5	..	..	..	2	2	7	..	18	20·7	5	
Hissar	39	35	46·6	..	..	..	1	..	..	..	5	6·6	2	
Moshiarpur	51	52	53·1	..	..	..	..	..	3	..	10	10·3	1	
Jullundur	200	211	55·2	..	..	..	12	6	11	..	43	11·2	10	
Karnal	72	85	61·6	..	..	..	7	1	2	..	20	14·5	7	
Ludhiana	176	237	70·3	..	..	..	16	..	3	..	37	11·0	10	
Moga	41	48	61·2	..	..	..	3	..	5	..	12	15·3	5	
Panipat	64	53	43·1	..	..	..	18	..	..	..	18	14·7	8	
Pathankot	34	58	89·0	..	..	..	..	..	..	..	..	..	..	
Rewari	36	33	47·9	..	..	..	3	1	4	..	11	16·0	5	
Rohtak	105	105	52·0	..	..	..	7	2	4	..	18	9·0	18	
Malerkotla	34	34	52·0	..	..	..	6	..	..	..	6	9·2	2	
Sonapat	34	48	73·6	..	..	..	2	1	4	..	12	18·4	7	
TOTAL	1,497	1,510	52·5	..	..	..	90	23	101	2	397	13·8	142	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used : —B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th November, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Rajasthan														
Alwar†														
Bharatpur†														
Bikaner . . .	117	30	13.3	..	..	..	3	2	5	1	21	9.3	1	
Churu . . .	48	3	3.2	..	..	..	1	..	..	..	3	3.2	..	
Ganganagar . . .	47	..	..	..	2	..	8	..	..	..	16	17.7	..	
Tonk†														
Kotah . . .	72	14	10.1	..	..	..	2	..	3	..	6	4.4	..	
Sikar†														
Jaipur . . .	353	117	16.9	..	..	..	22	55	12	3	79	11.6	25	
Udaipur†														
Jodhpur . . .	200	74	19.2	..	3	..	20	4	9	6	50	13.0	9	
TOTAL	837	238	14.8	..	5	..	56	11	29	10	175	10.9	35	
Uttar Pradesh†														
Agra . . .	375	275	38.1	..	..	..	..	5	26	..	61	8.5	17	
Allahabad . . .	349	210	38.4	..	..	..	..	1	22	..	57	8.5	14	
Amroha . . .	61	73	62.5	..	..	..	4	2	4	1	26	22.3	7	
Bahraich . . .	47	21	23.3	..	..	..	1	..	2	..	9	10.0	4	
Banaras . . .	383	484	66.0	..	..	..	55	11	25	1	248	33.8	59	
Ballia†														
Banda . . .	32	18	29.4	..	..	..	1	..	1	..	5	8.2	2	
Barcilly . . .	203	107	27.5	..	..	..	6	1	7	..	20	5.1	3	
Budaun . . .	54	31	30.0	..	..	..	3	1	1	..	15	14.5	7	
Basti ††														
Bulandshahr†														
Ghandausi . . .	41	60	76.4	..	..	..	4	2	5	..	22	28.2	8	
Dehra Dun . . .	146	71	25.4	..	..	..	2	1	1	..	16	5.7	7	
Etawah . . .	64	48	39.0	..	..	..	5	1	5	..	14	11.4	1	
Faizabad-Ayodhya . . .	88	27	16.0	..	..	..	3	..	1	..	11	6.5	2	
Farrukhabad-Fatehgarh . . .	82	85	54.1	..	..	..	6	3	5	..	21	13.4	4	
Ferozabad . . .	79	31	20.5	..	..	..	4	..	..	..	12	7.9	..	
Ghaziabad . . .	46	43	48.7	..	..	..	8	..	..	..	12	13.5	8	
Ghazipur . . .	36	24	34.5	..	..	..	7	2	..	..	15	21.6	2	
Gorakhpur . . .	140	92	34.2	..	..	..	8	3	6	..	33	12.3	10	
Gonda . . .	35	12	17.8	..	..	..	1	..	..	..	1	1.5	..	
Hapur . . .	49	64	68.2	..	..	..	8	3	5	..	23	24.5	11	
Hardwar . . .	64	48	39.0	..	..	..	5	1	2	..	16	13.0	5	
Hathras . . .	62	79	66.4	..	..	..	11	3	3	..	24	20.2	11	
Jaunpur . . .	56	30	28.0	..	..	..	3	..	4	..	12	11.2	1	
Jhansi . . .	116	109	49.0	..	..	..	23	1	1	..	31	14.0	6	
Kanpur . . .	734	423	30.0	..	..	..	148	22	47	8	382	27.2	100	
Kasganj . . .	34	8	12.2	..	..	..	2	1	..	..	3	4.6	..	
Khurja . . .	41	31	39.3	..	..	..	1	5	5	..	12	15.3	3	
Koili-Aligarh . . .	150	95	33.0	..	..	..	4	3	6	..	20	7.0	6	
Lucknow . . .	494	399	42.2	..	..	..	13	2	20	..	96	10.2	31	
Mathura . . .	110	121	57.3	..	..	..	15	..	6	..	35	16.6	8	
Mau-Nath Bhanjan . . .	38	36	49.3	..	..	..	3	3	..	..	11	15.1	5	
Meerut . . .	185	128	36.0	..	..	..	6	2	6	..	23	6.5	2	
Mirzapur Vindhyachal . . .	97	54	29.0	..	..	..	4	3	1	..	15	8.0	2	
Moradabad . . .	164	185	59.0	..	..	..	3	5	10	..	35	11.1	10	
Muzaffarnagar . . .	74	58	41.0	..	..	..	10	..	2	..	18	12.6	9	
Pilibhit†														
Rampur†														

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I. D.—Infantile Deaths (included in total deaths) ; ..—Nil Information. "N.R."—Information not received.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th November, 1956—*contd.*

## Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>Uttar Pradesh—<i>contd.</i></b>													
Saharanpur . . .	162	134	43.2	..	..	..	27	3	5	1	55	17.5	21
Sambhal . . .	65	39	31.2	..	..	..	1	4	7	1	18	14.4	2
Shahjahanpur . . .	99	70	28.6	—	—	—	2	1	1	..	22	9.0	8
Sitapur . . .	49	28	30.2	..	..	..	2	1	1	—	5	6.4	3
<b>TOTAL . . .</b>	<b>5,104</b>	<b>3,851</b>	<b>39.2</b>	<b>..</b>	<b>..</b>	<b>..</b>	<b>408</b>	<b>96</b>	<b>243</b>	<b>12</b>	<b>1,455</b>	<b>14.8</b>	<b>399</b>
<b>West Bengal</b>													
Asansol†													
Baidyabati†													
Bally . . .	66	5	4.0	..	..	..	..	..	1	..	2	1.6	..
Bankura . . .	50	11	11.5	..	..	..	..	..	..	..	..	..	..
Bansberia†													
Baranagar . . .	90	65	37.8	..	..	..	1	4	4	..	17	9.9	5
Basirhat . . .	39	11	14.6	..	..	..	..	..	..	..	..	..	..
Berhampur . . .	64	58	47.3	1	..	..	2	6	..	..	23	18.8	3
Bhadrashwar . . .	34	9	13.6	..	..	..	..	..	..	..	1	1.5	..
Bhatpara . . .	143	30	11.0	..	..	..	17	4	4	1	39	14.3	10
Budge-Budge . . .	32	41	67.0	..	..	..	..	2	..	..	4	6.5	..
Burdwan . . .	82	11	7.0	..	—	—	..	1	1	..	7	4.5	..
Calcutta . . .	2,984	1,859	32.6	1	..	..	28	46	119	61	608	10.7	94
Champdani . . .	41	48	61.1	..	..	..	..	..	1	..	3	3.8	..
Coocha Behar†													
Darjeeling†													
English Bazar . . .	36	..	..	..	..	..	..	..	..	..	..	..	..
Garden Reach . . .	124	15	6.2	..	..	..	2	1	2	..	10	4.2	1
Halisahar . . .	41	5	6.4	..	..	..	..	..	..	..	1	1.3	..
Hoogly-Chinsurah . . .	60	80	69.5	..	..	..	1	2	1	..	17	14.7	2
Howrah . . .	477	241	26.4	3	1	..	6	14	35	1	132	14.5	60
Jalpaiguri . . .	49	28	29.7	..	..	..	2	2	1	..	11	11.7	..
Kamarhati†													
Kanchrapara . . .	74	18	12.6	..	..	..	1	..	..	..	2	1.4	1
Krishnagar . . .	56	1	0.9	..	..	..	..	..	..	..	1	0.9	..
Midnapore . . .	45	45	52.0	..	..	..	3	1	..	..	11	12.8	..
Nabadwip†													
Naihati . . .	62	4	3.4	..	..	..	..	1	2	..	7	5.9	..
North Barrackpore . . .	36	4	5.8	..	..	..	..	..	..	..	1	1.5	..
Panihati . . .	65	8	6.4	1	..	..	1	..	1	..	17	13.7	7
Shantipur . . .	49	23	24.5	..	..	..	..	1	1	..	5	5.3	2
Serampore . . .	83	58	36.5	..	..	..	3	2	2	..	26	16.4	5
Siliguri†													
South Dum Dum . . .	83	4	2.5	..	..	..	..	..	..	..	..	..	..
South Suburban . . .	124	26	11.0	1	2	..	1	3	7	..	19	8.0	8
Titagarh . . .	78	37	24.7	..	..	..	10	..	..	1	14	9.3	5
<b>TOTAL . . .</b>	<b>5,167</b>	<b>2,745</b>	<b>27.6</b>	<b>7</b>	<b>3</b>	<b>..</b>	<b>78</b>	<b>90</b>	<b>182</b>	<b>4</b>	<b>978</b>	<b>9.8</b>	<b>203</b>

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil Information.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th November, 1956—*contd.*

Towns	Mid.-year Popn. Est. (000)	B.	B.R.	Deaths from :—										Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.						
ARREAR RETURNS																
For w/e 3-11-56																
Bombay																
Bhavnagar	157	31	10.3	..	..	..	..	1	1	..	5	1.7	1	..		
Dhoraji	47	16	17.7	..	..	..	1	..	1	..	3	3.3	..	..		
Gondal	41	15	19.0	..	..	..	..	..	1	..	4	5.1	1	..		
Jamnagar	122	9	3.8	..	..	..	5	2	4	..	13	5.4	1	..		
Junagadh	65	49	39.2	..	..	..	9	2	3	..	20	16.0	8	..		
Morvi	43	19	22.8	..	..	..	2	..	..	..	2	2.4	1	..		
Porbandar	64	7	5.7	..	..	..	7	1	..	1	18	14.6	10	..		
Rajkot	167	70	21.8	..	..	..	13	2	1	..	37	11.5	13	..		
Surendranagar†																
Veraval	46	5	5.7	..	..	..	3	..	..	..	3	3.4	..	..		
TOTAL	752	221	15.3	..	..	..	40	8	11	1	105	7.3	35	..		
Pondicherry																
For w/e 3-11-56																
Pondicherry	68	75	57.4	..	..	..	5	4	5	2	26	19.9	9	..		
Punjab																
Bhatinda	39	10	13.3	..	..	..	1	..	..	..	7	9.3	3	..		
Malerkotla	34	25	38.3	..	..	..	1	1	..	..	2	3.1	..	..		
PEPSU																
For w/e 27-10-56																
Bhatinda	39	25	33.3	..	..	..	1	..	..	..	1	1.3	1	..		
Malerkotla	34	22	33.5	..	..	..	1	..	..	..	3	4.6	1	..		
Hyderabad																
For w/e 13-10-56																
Aurangabad	73	10	7.1	..	..	..	2	2	..	..	4	2.9	..	..		
Hyderabad City	1057	212	10.4	..	2	..	14	5	5	..	82	4.0	7	..		
Kothagudiam	71	33	25.1	..	..	..	..	..	..	..	3	2.3	..	..		
Nanded	80	37	22.9	..	..	..	2	..	4	..	6	3.9	..	..		
Nizambad	67	9	7.3	..	..	..	5	..	2	..	7	5.4	..	..		
Secunderabad City	162	136	43.6	..	1	..	2	4	16	..	61	19.6	22	..		
Warangal	155	31	10.3	..	..	..	6	..	..	..	12	4.1	6	..		
TOTAL	1,665	468	14.6	..	3	..	31	11	27	..	175	5.5	35	..		
Hyderabad																
For w/e 20-10-56																
Aurangabad	73	9	6.4	3	..	..	1	..	..	11	5	3.5	..	..		
Hyderabad City	1057	133	6.5	..	..	..	14	1	4	..	124	6.1	15	..		
Kothagudiam	71	99	75.3	..	..	..	..	..	..	..	3	2.3	..	..		
Nanded	80	19	11.9	..	..	..	..	2	7	..	9	6.5	..	..		
Parbhani	40	5	6.5	..	..	..	3	..	2	..	7	9.1	2	..		
Secunderabad City	162	151	48.5	..	1	..	1	3	11	2	59	18.9	16	..		
Warangal	155	20	7.5	..	..	..	3	..	3	..	9	3.4	..	..		
TOTAL	1,638	436	13.8	3	1	..	22	6	27	3	216	6.8	33	..		

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information ; "N. R."=Information not received.



REMARKS

The figures of births and deaths of India shown in this statement for week ending the 10th Nov. 1956, relate to 192 towns with an estimated population of 29,732 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 60% of the total number of towns representing 71% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 21,800 and 7,959 representing birth and death rates of 38.1 and 13.9 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population. Information about Andhra Pradesh, Bihar and Madhya Pradesh could not be included in this statement. The following table gives the position by States.

States	Current w/e 10-11-56		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Bombay . . .	36.0	13.0	35.2	12.6
Delhi . . .	45.8	9.0	37.9	8.0
Kerala . . .	42.1	12.8	31.1	6.3
Madras . . .	47.7	20.0	46.0	16.5
Mysore . . .	41.8	18.4	35.2	13.9
Orissa . . .	31.6	14.8	68.5	19.5
Punjab (I) . .	52.5	13.8	47.8	10.7
Rajasthan . .	14.8	10.9	17.2	8.5
Uttar Pradesh .	39.2	14.8	44.4	14.0
West Bengal . .	27.6	9.8	27.2	10.4
India* . . .	38.1	13.9	36.9	12.5

\* 9 Part 'A' States and 1 Part 'C' States.

NEW DELHI-2 (INDIA);  
The 3rd December, 1956.

K. MITRA.  
for Registrar General, India.